

Pectin-Containing Flour Confectionery with a Reduced Gluten Content

Zuret Nurbievna Khatko*, Ekaterina Kolodina

Received: 21 April 2021 / Received in revised form: 26 July 2021, Accepted: 29 July 2021, Published online: 22 August 2021
© Biochemical Technology Society 2014-2021
© Sevas Educational Society 2008

Abstract

The problems of rational nutrition of the population require an expansion of the range of manufactured flour products of therapeutic and prophylactic properties. One of the key directions in expanding the range of such products is the creation of products with detoxifying properties, due to the environmental situation of the modern world and food products for celiac patients. The relevance of producing pectin-containing cookies with a reduced gluten content is considered. The regularities of the viscosity formation, electrical conductivity, and friction force of pectin solutions depending on the type and quantitative ratio of combined pectin substances have been established. The flour composition effect on the dynamics of dough process and the formation of rheological properties of the dough has been proved. The optimal ratio of corn, wheat, and rye flour in a composite mixture used for the production of cookies with a reduced gluten content has been established. The optimal balance of composite mixtures for the production of cookies was determined based on the rheological characteristics of the dough with a combination of pectin substances in a reasonable ratio during the process of kneading.

Keywords: Pectin, Corn flour, Gluten, Dough rheology

Introduction

Pectin substances play an important role in solving the first stated problem since they are an excellent enterosorbent capable of binding heavy metals, radionuclides and increasing the immunological properties of the human body (Khatko, 2012).

In addition, pectin substances can be used for technological purposes due to their properties, since they are a surfactant at the interface between the solid and liquid phases and are capable of influencing the elastic properties of the dough. The plasticity increases and the elastic properties of the dough decrease at different dosages of beet and apple pectins. The degree of influence of pectin substances on the studied parameters depends on the ratio of the studied pectins (Amiri, *et al.*, 2020; Ella, *et al.*, 2020).

Zuret Nurbievna Khatko *

Department of Food Technology and Catering, Maykop State Technological University, 385000, Maykop, Russia.

Ekaterina Kolodina

Maykop State Technological University, 385000, Maykop, Russia.

*E-mail: zn.khatko @ bk.ru

The moisture content of the dough depends on the type and ratio of the pectins used, and it is almost the same for the flour as of the premium as of the first grades (Khatko, 2012; Beretar and Khatko, 2011).

The viscosity of the dough differs in various types of cookies, for the production of which, as a rule, wheat flour with low gluten is used. Wheat flour contains water-insoluble proteins (gliadin and glutenin), which form gluten when kneading the dough.

The studies conducted in the United States have shown that regardless of age, people are now 4-4.5 times more likely to suffer from celiac disease than 50 years ago (Tye-Din *et al.*, 2018).

The people suffering from this disease have digestive disorders when taking gluten-containing products due to damage to the small intestine by such products. The only way to ensure a stable reflection of this disease is a gluten-free diet. The gluten-free or low-gluten foods are recommended for people with celiac disease. Food products containing gluten in excess of 1 mg / 100 g are unacceptable for such patients (Admou *et al.*, 2012; Ferretti *et al.*, 2012; Dunne *et al.*, 2020; Itzlinger *et al.*, 2018; Tokgöz *et al.*, 2018).

It is possible to reduce the gluten content of flour products by replacing wheat flour with other types of flour that do not contain gluten.

The production of gluten-free and low-gluten flour confectionery products presents a certain problem in the technological aspect. It occurs because the gluten contained in wheat flour mainly contributes to the required structure of finished products and the rheological properties of the dough.

It is advisable to use flour that does not contain gluten (millet and corn flour) as a substitute for wheat flour (in whole or in part) in the production of flour confectionery products with low gluten content.

Since cookies occupy a significant share in the total production volume (about 43%) among flour confectionery products, it is possible to expand the range of this group due to the production of products with low gluten content.

The organoleptic characteristics of the product are important for consumers, such as pleasant taste, color and smell, and the corresponding texture of the finished product, which depends on the rheological characteristics of the dough (Mogilny, 2012).

Currently, work is underway to create new flour-based products with a reduced gluten content enriched with functional food ingredients i.e. plant biopolymers (El Khoury *et al.*, 2018; Di Nardo *et al.*, 2019).

Therefore, it is of great relevance for the food industry to make scientific research on the improvement of cookies technology based on composite mixtures with the inclusion of corn flour and regulation of dough rheology by introducing pectin substances into the cookies recipe with reduced gluten content.

Materials and Methods

Table 1. Flour Compositions

Composition number	Composition	The ratio of components in the composition, %
1	Yellow corn flour: wheat flour premium	25:75
2		50:50
3	White corn flour: wheat flour premium	25:75
4		50:50
5	Wheat flour premium (control)	100

The studies have been carried out by the following institutions:

- The conductometric determination of the specific conductivity (SC) of pectin solutions was performed by FSBEI HE “Maykop State Technological University” on the device “Anion – 410”;
- The viscosity and friction force of pectin substances and their combinations were defined by FSBEI HE “Kuban State Technological University” on the device BROOKFIELD VISCOMETER DV – II + PRO;
- The internal friction of pectin solutions was determined by Voronezh State University of Engineering Technologies;
- The structural and mechanical properties of the dough were examined by FSBSI “Lukyanenko National Grain Center” on “Brabender” farinograph and “Chopin” alveograph.

Table 2. Characteristics of Dough Farinograms from Experimental Flour Compositions

Composition number	Composition	The ratio of components, %	Numerical characteristics of dough farinograms			
			WAC, %	Dough formation time, min.	Dough stability time, min.	liquefaction, UF
1	Yellow corn flour: wheat flour premium	25:75	65,4	3,5	7,5	130
2		50:50	60,2	8,0	10,0	140
3	White corn flour: wheat flour premium	25:75	62,0	6,0	7,5	150
4		50:50	60,9	6,5	8,0	160
5	Wheat flour premium (control)	100	67,4	12,5	17,0	100

It can be seen from **Table 2** that in composite mixtures (corn: wheat flour), an increase in the proportion of corn flour in the mixture leads to a decrease in the water absorption capacity of the dough and to an increase in the time of its formation, that is a very important characteristic for dough kneading. The stability time of the dough in these composite mixtures also increased. The rate of the dough dilution also increases with increasing dosage of corn flour, which indicates a decrease in the viscosity of the dough.

While studying the influence of the type of corn flour on the structural and mechanical properties of the dough it can be noted (**Table 2**) that the addition of corn white flour to the composite

The objects of study were:

- Flour composite mixtures of bakery wheat flour premium (high quality), corn flour made from white grain and yellow grain varieties;
- Apple pectin (A), produced by “Aidigo”, China; citrus pectin (C) produced by “Danisko”, Czech Republic; beet pectin (B) is obtained by a laboratory method according to standard technology: hydrochloric acid hydrolysis, alcohol precipitation, alcohol cleaning, pressing, drying, grinding, fractionation, and their combinations (Khatko, 2012).

The flour compositions are shown in **Table 1**.

Internal friction in the systems was determined by creating an oscillatory process in the test solution. Over time, the vibration energy in the system decays and dissipates into heat energy. Internal friction unites various mechanisms for converting elastic energy into heat and is characterized by a logarithmic decrement of damping of oscillations created in the system.

Results and Discussion

At the first stage, the dough rheology in the composite mixture samples designed for making cookies with a reduced gluten content was examined (**Table 2**).

mixture leads to a decrease in the formation time and stability of the dough, as well as to its stronger dilution. These results are associated with the species of the corn grain. This indicates a more favorable technological process of dough kneading for cookies made from a composite mixture with corn flour from white grain varieties.

Farinograms of the experimental composite mixture samples in a ratio of 50: 50 (corn flour: wheat flour) and a control sample of premium wheat flour are shown in **Figure 1**.




Figure 1. Dough Farinograms of Experimental Flour Compositions: a) Yellow Corn Flour: Wheat Flour Premium – 50: 50%; b) White Corn Flour: Wheat Flour Premium – 50:50% c) Wheat Flour Premium (Control)

To have complete information on the structural and mechanical properties of the studied composite mixtures of the dough, the instrumental method was used for collecting data characterizing as the “flour strength” on the alveograph device.

Characteristics of dough alveograms of experimental flour compositions are presented in **Table 3**.

Table 3. Characteristics of Dough Alveograms of Experimental Flour Compositions

Composition number	Composition	The ratio of components, %	Characteristics of dough alveograms			
			Elasticity, mm	Extensibility	Flour strength, W index	Elasticity/ extensibility ratio
1	Yellow corn flour: wheat flour	25:75	116	27	136	4,30
2	premium	50:50	90	7,4	41	8,18
3	White corn flour: wheat flour	25:75	126	20	151	4,50
4	premium	50:50	74	10	40	7,40
5	Wheat flour premium (control)	100	151	47	294	3,21

The data obtained on the device alveograph (**Table 3**) shows that when replacing one part of the wheat flour with corn flour, the composite mixture goes from the category of “valuable flour” to the category of “impoverished flour”. These results confirm the conclusion, obtained earlier from the data of the farinograph device, that composite mixtures with corn flour compared to wheat flour are preferable dough kneading for cookies.

Data on the mass fraction of gluten in the control sample and flour composite mixtures are shown in **Table 4**.

Table 4. Gluten Content in Flour Compositions

Composition	The ratio of components, (%)	Gluten weight ratio, %
Yellow corn flour: wheat flour premium	25:75	20,0
	50:50	14,0
White corn flour: wheat flour premium	25:75	19,3
	50:50	13,5
Wheat flour premium (control)	100	28,0

As can be seen from **Table 4**, when replacing a part of wheat flour with corn flour it leads to a decrease in the mass fraction of gluten in the flour. When the ratio of wheat and corn flour is 50:50, the mass fraction of gluten is equal to 14.0% with yellow corn flour and 13.5% with white corn flour.

At the second stage of the study, the characteristics of pectins and pectin combinations were studied.

The obtained values of internal friction in solutions of pectins and their combinations are arranged in descending order: A (0.18) > C (0.178) > CB (0.146) > C (0.137) > AB (0.125) > AC (0.119). The addition of C increases the viscosity of the CB and decreases the AC.

The viscosity of solutions in combinations of pectins AC (420 cPs) and AB (244) differs from A (368), while in the combination of AC the viscosity increases, in the combination AB it decreases, i.e. the addition of C increases the viscosity of the AC, and with B decreases the AB.

The viscosity of solutions in combinations of pectins AB (244 cPs) and CB (622.6) differs from B (260.9), while in the combination of BC the viscosity increases, in the combination AB it slightly decreases, i.e. the addition of C increases the viscosity of the BC and with A decreases the AB. The measurement error values are within the permissible range and do not exceed 2.5%.

Specific Conductivity (SC) of pectin solutions and their combinations changes as follows: in a combination A increases for AB and decreases for AC; in combination C increases for CB and

CA; in combination B increases for AB and CB. That is, adding B to the combination increases the A and C indicators; the addition of C increases the indicators of C and decreases A; the addition of A increases the indicators of C and B.

Taking into account the complex data obtained in the study of the dough rheology of composite mixtures and the characteristics of pectin combinations, recipes for sugar, shortbread creamy, and laminated biscuit with a reduced gluten content were developed and their water absorption was determined (**Table 5**).

Table 5. Water Absorption of Pectin-containing Low-gluten Cookies

Composition	The ratio of components, %	Water absorption, %		
		Cookies		
		Sugar (no more than 150 %)	Shortbread creamy (no more than 150 %)	Laminated biscuit «Maria» (no more than 130 %)
White corn flour: wheat flour premium	50:50	168	160	148
White corn flour (control)	100	143	145	126

The stronger the flour, the greater the value of the maximum consistency and dough formation time as well as dough consistency at the end of dough kneading and dough stability.

Replacing wheat flour with corn flour in various ratios leads to a decrease in the Water Absorption Capacity (WAC) of the flour, the formation time and stability of the dough, increases the dilution rate and decreases the overall dough rating.

The smallest amount of gluten is contained in composite mixtures of corn (yellow, white) and wheat flour in/with a ratio of 50:50, and gluten is absent in white corn flour. With a decrease in the proportion of premium wheat flour in flour compositions, the amount of gluten decreases. These flour compositions are formulated to be low in gluten.

The flour composition: corn white flour: wheat flour -50: 50 is recommended for pectin-containing cookies (sugar, shortbread creamy, and laminated biscuit) with low gluten content. Corn flour made from white corn is a promising ingredient for the production of gluten-free cookies.

The introduction of pectin substances into the cookie formulation improves the rheological parameters of the dough and imparts a functional orientation. Compositions of different types of pectin substances (apple, citrus, beet) can regulate and maintain the necessary rheological properties of dough and cookies. The addition of CB pectin (4%) to the formulation, as a solution with the highest dynamic viscosity, improves the rheological properties of various types of cookies with low gluten content.

Conclusion

The relevance of producing pectin-containing cookies with a reduced gluten content is considered. The regularities of the formation of viscosity, specific conductivity and friction force of pectin solutions depending on the type and quantitative ratio of combined pectin substances have been established.

The influence of flour composition on the dynamics of dough process and the formation of rheological properties of the dough is shown. The optimal ratio of corn and wheat flour in the composite mixture for the cookies production with a reduced gluten content has been identified. The conditions for regulating the rheological properties of the dough for three types of cookies (sugar, shortbread creamy, and laminated biscuit) by combining pectin substances in the required ratio have been determined.

Acknowledgments: None

Conflict of interest: None

Financial support: None

Ethics statement: None

References

- Admou, B., Essaadouni, L., Krati, K., Zaher, K., Sbihi, M., Chabaa, L., Belaabidia, B., & Alaoui-Yazidi, A. (2012). Atypical celiac disease: from recognizing to managing. *Gastroenterology Research and Practice*, 2012. <https://www.hindawi.com/journals/grp/2012/637187/> doi: 10.1155/2012/637187
- Amiri, F., Attari, S. G., Karimi, Y. A., Motamedzadeh, M., Karami, M., Moghadam, R. H., & Samiei, V. (2020). Examination of Work-Related Musculoskeletal Disorders and Their Related Factors among Farmers of Asadabad City in 2015. *Pharmacophore*, 11(1), 52-57.
- Beretar, S. T., & Khatko, Z. N. (2011). Influence of the type of pectin on the rheological properties of short crust. *New Technol*, 4, 14-7.
- Di Nardo, G., Villa, M. P., Conti, L., Ranucci, G., Pacchiarotti, C., Principessa, L., Raucci, U., & Parisi, P. (2019). Nutritional deficiencies in children with celiac disease resulting from a gluten-free diet: A systematic review. *Nutrients*, 11(7), 1588. <https://doi.org/10.3390/nu11071588>.

- Dunne, M. R., Byrne, G., Chirido, F. G., & Feighery, C. (2020). Coeliac disease pathogenesis: The uncertainties of a well-known immune mediated disorder. *Frontiers in Immunology*, *11*, 1374. <https://doi.org/10.3389/fimmu.2020.01374>
- El Khoury, D., Balfour-Ducharme, S., & Joye, I. J. (2018). A review on the gluten-free diet: Technological and nutritional challenges. *Nutrients*, *10*(10), 1410. <https://doi.org/10.3390/nu10101410>.
- Ella, C. W. R., Ousmane, O., Tiatou, S., Augustin, N. P., Pietra, V., Basma, E., Emile, A. S. K. S., Nicolas, M., & Mamoudou, D. H. (2020). Evaluation of the Effectiveness of Cost-free Nutrition Programme on Children in Reo Health District, Burkina Faso. *International Journal of Pharmaceutical Research & Allied Sciences*, *9*(2), 24-33.
- Ferretti, G., Bacchetti, T., Masciangelo, S., & Saturni, L. (2012). Celiac disease, inflammation and oxidative damage: a nutrigenetic approach. *Nutrients*, *4*(4), 243-257. <http://www.mdpi.com/2072-6643/4/4/243> doi: 10.3390/nu4040243
- Itzlinger, A., Branchi, F., Elli, L., & Schumann, M. (2018). Gluten-Free Diet in Celiac Disease—Forever and for All?. *Nutrients*, *10*(11), 1796. <https://doi.org/10.3390/nu10111796>.
- Khatko, Z. N. (2012). Beet pectin for polyfunctional purposes: properties, technologies, application. Publishing house MSTU.
- Mogilny, M. P. (2012). *Technology and commodity of food products for functional and specialized purposes*. Dissertation for the degree of Doctor of Technical Sciences. 318 p.
- Tokgöz, Y., Terlemez, S., & Karul, A. (2018). Fat soluble vitamin levels in children with newly diagnosed celiac disease, a case control study. *BMC pediatrics*, *18*(1), 1-5. <https://doi.org/10.1186/s12887-018-1107-x>
- Tye-Din, J. A., Galipeau, H. J., & Agardh, D. (2018). Celiac disease: a review of current concepts in pathogenesis, prevention, and novel therapies. *Frontiers in pediatrics*, *6*, 350. <https://doi.org/10.3389/fped.2018.00350>.